

# Standards Overview



Version: **1.7**

Date: **14 10 2020**

Distribution: **Industry**

Document Name: **Standards\_Overview.pdf**

## DISCLAIMER

Criterion believes it has employed personnel using reasonable skill and care in the creation of this document. However, this document is provided to the reader 'as is' without any warranty (express or implied) as to accuracy or completeness. Criterion cannot be held liable for any errors or omissions in this document or any losses, damages or expenses arising consequent to the use of this document by the reader.

## CHANGE HISTORY

DATE	VERSION	STATUS
14/03/2013	1.0	First issue of new document.
22/04/2013	1.1	Added link to Standards Catalogue.
27/05/2014	1.2	Updated references to Auto Enrolment Standards.
15/09/2015	1.3	Updated FIT components, as new patterns were introduced with FIT v3.0.
31/01/2017	1.4	Changed "Switches & Redemptions" to "Switches & Redirects" due to publication of Provide Investment Switch and Redirect Notification Standard. Updated statistics on Standards Holders.
03/04/2018	1.5	Updated to include Provisional Standards under Change Management. Also updated to reflect that Criterion no longer publish Standards deliverables which support SOAP implementations (e.g. WSDLs).
21/12/2018	1.6	Include Contract Enquiry Bulk Valuation (all products).
14/10/2020	1.7	Include Contract Enquiry Bulk Transaction History (all products).

---

# CONTENTS

1.	STANDARDS BACKGROUND.....	4
1.1	DOCUMENT PURPOSE.....	4
1.2	COLLABORATION.....	4
1.3	BENEFITS.....	4
1.4	STANDARDS HOLDERS.....	4
2.	STANDARDS LIST.....	5
2.1	BUSINESS MESSAGING STANDARDS.....	6
2.2	FLEXIBLE INTEGRATION TOOLKIT.....	7
2.3	COMMON STANDARDS.....	8
2.4	TECHNICAL STANDARDS.....	8
2.5	MESSAGE FORMAT.....	8
3.	STANDARDS COMPONENTS.....	9
3.1	NORMATIVE STANDARDS DOCUMENTS.....	9
3.2	SUPPORTING INFORMATION.....	10
4.	ONGOING STANDARDS MAINTENANCE AND SUPPORT.....	11
4.1	RELEASE AND VERSION CONTROL.....	11
4.2	CHANGE MANAGEMENT.....	11
4.3	STANDARDS SUPPORT.....	12
4.4	STANDARDS GUIDES.....	12
5.	ACCESSING THE STANDARDS.....	13
6.	GLOSSARY.....	14

---

# 1. STANDARDS BACKGROUND

The Criterion Standards have been established for over 20 year's, and underpin the exchange of data between organisations in the Financial Services Industry making it easier for Product Providers, Platforms, Portals and Advisers to work with each other.

## 1.1 DOCUMENT PURPOSE

This overview is aimed at users of the Criterion Standards and its purpose is to provide information to assist in understanding what Standards are available and how to access the Standards components on the Criterion Standards website.

## 1.2 COLLABORATION

Criterion Standards are developed and maintained in collaboration with Industry participants through various Working Groups and are delivered using a structured and consistent approach during their development lifecycle. Before each Standard is published, the documentation will have been approved by the relevant Industry Working Group, who will have contributed to the development of the Standard through their participation and involvement in the group.

## 1.3 BENEFITS

Some of the key benefits to users of the Criterion Standards include:

- ability to 'build once, use often';
- reduced costs of development and linking between systems;
- enable straight through processing;
- promote efficiency throughout the industry;
- improved customer outcomes.

## 1.4 STANDARDS HOLDERS

As at January 2017, there are 305 Standards Holder organisations within the Industry who have registered access to the Standards. These include (figures in brackets indicate the number of that type of organisation):

- Product Providers and Platforms (45);
- Advisers (123);
- Consultants (4);
- Service Providers and Portals (34);
- Software Services (88);
- Software Services and Back Office Systems Suppliers (9);
- Other types of organisations (2).

---

## 2. STANDARDS LIST

This section provides an overview of the Standards within the Criterion Standards suite. Additional information can be found in more detailed documents, including:

- The **End to End Case Study** which shows where Criterion Standards and Services enable e-commerce across the end to end Life and Pensions/Platform Business Process.

<https://www.criterion.org.uk/endtoendcasestudy>

- The **Standards Catalogue** which provides a detailed list and key information relating to all of the Standards and their versions currently published on the Standards website.


<https://www.criterion.org.uk/standardscatalogue>

- **Criterion Standards Implementation Guidelines**, providing a technical overview on how best to implement Criterion Standards and best practice for testing Criterion messages, message patterns and implementations.

<https://www.criterion.org.uk/csig>

## 2.1 BUSINESS MESSAGING STANDARDS

The purpose of many of the Criterion Standards is to satisfy a communication between different organisations performed during a particular business process. The following diagram shows how the current business messaging Standards fit into the end to end business process, and typically who is involved in their communication.



**Note: All Standards XML.  
Alternative formats shown  
with dashed lines**


**Legend:**



## 2.2 FLEXIBLE INTEGRATION TOOLKIT

This diagram shows the Standards relating to the Flexible Integration Toolkit (FIT) methodology. The FIT methodology is independent of Business Process, and is used to 'synchronise' data between the various applications used within the Industry, typically within two different organisations.

These Standards are Data Pattern based, with each pattern being a re-usable component used to pre-populate and re-populate the data between the source and receiving systems.




\* There are several Product Features data patterns, one for each product type.

The "Generic Data" Data Pattern provides a self-defining message structure which allows dynamic inclusion of the other Data Patterns at runtime. For more information on the "Generic Data" Data Pattern see Section 10.3 of the Flexible Integration Toolkit Overview document available at

<https://www.criterion.org.uk/fitoverview>


## 2.3 COMMON STANDARDS

Some of the Criterion Standards are common across the Criterion Standards suite, and do not relate to a specific business or technical area. These are shown in the diagram below:



## 2.4 TECHNICAL STANDARDS

In addition to the business Standards covered above, there are a number of Technical Criterion Standards, which relate to more technical aspects of how the Standards are implemented. These are shown in the diagram below:



## 2.5 MESSAGE FORMAT

The vast majority of Criterion Standards are in XML (eXtensible Markup Language) format. There are a small number of Standards using other formats – EDI (Electronic Data Interchange) and CSV (Comma Separated Value).



---

## 3. STANDARDS COMPONENTS

When a Criterion Standard is published, it comprises a number of components, some of which form the definition of the Standard itself (referred to as normative), and others - supporting documents - which assist users of the Standard in understanding, for example, the background to a Standard, or the design approach taken during its development.

### 3.1 NORMATIVE STANDARDS DOCUMENTS

Typically, a Standard will contain one or more of the following types of normative components:

#### **Message Implementation Guidelines (MIG)**

These are human readable documents which contain a detailed definition of the Standard, including the format, content, layout, type, cardinality, optionality and permitted values of all data items contained within the Standard. The documents are published in PDF format. The majority of the Criterion MIGs contain a definition of each of the data items - the main exceptions to this are the older Quotes and New Business MIGs which do not contain these definitions.

More than one MIG may be present for each Standard, depending on how many message and service definitions exist within the Standard.

#### **XML Schema**

These schemas (published as xsd files) are machine readable descriptions of an XML structure and are used to validate the XML messages. Constraints on the content of the XML are built into the schema. The Criterion Standards typically build in validation rules relating to the structure, format, content, cardinality, optionality and type of each of the data items.

A Criterion Standard will consist of one or more schemas depending on the complexity of the business process it represents. Typically, there will be different schema defined for each request and response involved a message exchange. In addition, there may be further schemas for the message 'wrappers'.

#### **Service Implementation Guideline (SIG)**

A SIG document provides a service definition which could be used to implement the Criterion Standard. Note, these are more applicable to those Standards which support SOAP based web services but are also useful for REST based implementations.

---

## 3.2 SUPPORTING INFORMATION

Alongside the normative documents, there are many other types of documentation associated with an individual Standard published on the website. These generally relate to a particular topic relevant to that Standard, cover the background, approach or rationale behind the Standard, provide examples, or reflect the development process used at the time.

Some of the most common supporting information is detailed below:

- **Sample messages**

Some of the Standards provide example messages which help users to understand and visualise what the messages may look like with test data. Sample messages are provided where possible, and it is Criterion's intention to supply these for as many Standards as is feasible. Some of the sample messages contain comments to help explain particular elements or structures within them.

- **Change Documentation**

- Where Changes have been made to a Standard, documentation outlining the changes made may be published alongside the normative Standards components.

- **Business Requirements Definition (BRD)**

A BRD document is generally produced during the early stages of the Standards development process, and contains high level information such as business requirements, potential solutions, process models and possible data group content.

- **Use Cases**

These documents are used as an aid to understanding, and detail a list of steps - typically defining interactions between a role and a system - in order to achieve a goal. There may be a separate use case for a number of different scenarios, or outcomes.

- **Process or Data models**

During development of Standards, business models or data models are often produced. These are sometimes contained within other documents (for example the BRD) or they may be published as separate Standards components.

### Implementation Approaches

Criterion Standards can be implemented using SOAP and REST based Web Services. The Criterion Standards Implementation Guidelines <https://www.criterion.org.uk/csig> describe these implementation approaches.

---

## 4. ONGOING STANDARDS MAINTENANCE AND SUPPORT

Following publication of a Standard, it then follows ongoing maintenance and support procedures, which govern how the Standard can be amended (via Release and Version Control and Change Management processes) and how queries and problems are handled. See <https://www.criterion.org.uk/standardschangemanagement> for more information.

### 4.1 RELEASE AND VERSION CONTROL

All Criterion Standards and Standards documentation components conform to the Release and Version Control policy. Some of the key points relating to this policy are:

- each Standard has a major version number, a minor version number and occasionally a minor point release;
- a new major version of a Standard need not be backwardly compatible with previous versions;
- a minor version will be backwardly compatible with the previous minor version;
- minor point releases contain legislative errata, and are used to implement essential fixes to a Standard driven by legislative changes;
- Criterion provide access to, and support the three latest versions (including minor versions) of a Standard;
- the version number of supporting documents may not always match that of the Standard itself;
- prior to becoming Final, documents may go through Draft stages, normally Draft A, Draft B etc. up to Final Draft. Typically each Draft is reviewed by an Industry Working Group;
- a Standard becomes Final once it has been implemented by a number of Trading Partners or 3 months has passed;
- in general, there are minimal changes between a Draft Final and a Final Standard, however to minimise impact on early adopters and reduce the number of versions required, changes to Final Draft may be published in advance of the Final version.

Note: In 2017 the concept of Provisional Standards was introduced which allow changes to be applied and delivered more quickly and before they are accepted in their finalised state by the Governance Groups. This allows implementers to get early sight of deliverables with the changes they require but does come with the warning that further changes may follow. Provisional Standards will appear alongside finalised Standards in the Standards Library on the website.

### 4.2 CHANGE MANAGEMENT

Criterion Standards evolve over time through Change Requests (CR) being applied to them. Any registered Standards Holder may raise a Change Request which will then be considered for inclusion in the next (major or minor) version of the Standard(s) to which they relate. CRs are approved by the relevant Industry Criterion Working Group, and typically are batched together and applied as a group when approval has been given by Criterion Governance for a new Standards version.

Note, as mentioned above, that Criterion have now introduced the concept of Provisional Standards which allow changes to be applied and delivered more quickly and before they are accepted in their finalised state by the Governance Groups.

---

## 4.3 STANDARDS SUPPORT

Criterion provide support to Standards Holders on any Standards related queries, and can be contacted by telephone (0131 357 0100), by email ([enquiries@criterion.org.uk](mailto:enquiries@criterion.org.uk)) or by the 'Contact Us' menu option on the Standards website.

## 4.4 STANDARDS GUIDES

General background Standards information, in the form of Guides and Standards Management documents can be found on the Criterion website. These include the End to End Case Studies, the Criterion Standards Implementation Guidelines, the Standards Catalogue and this document. See <https://www.criterion.org.uk/standardsguides> for more information.

# 5. ACCESSING THE STANDARDS

All supported Criterion Standards can be accessed via the Standards Library page on the Criterion website. <https://www.criterion.org.uk/standardslibrary>

[Home](#) > [What we do](#) > [Criterion Standards](#) > Standards Library

## Criterion standards define common processes, data and technical details

The screenshot displays the Criterion Standards Library interface. On the left, there are two filter sections: 'Markets' and 'Category'. The 'Markets' section includes checkboxes for Protection (9), Retirement (23), Wealth (12), and Non Specific (33). The 'Category' section includes checkboxes for Business Process-Agnostic Standards (1) and Business Process-Specific Standards (57). On the right, the 'REFINE RESULTS' section features a search bar with the placeholder text 'Type keywords e.g. Investments' and a search icon. Below the search bar, it indicates 'Showing 1-20 of 71 results'. Two search results are visible: 'Commission (EDIFACT)' with version '2.0' and 'Commission Transfer (XML)' with version '1.0.1'. Each result is represented by a dark grey bar with a red triangle on the right side containing the version number.

The Standards Library can be viewed by all, but to access the documents which form a Standard you must first register to be a Standards Holder. See <https://www.criterion.org.uk/register> for more information.

## 6. GLOSSARY

The following table defines some of the terminology used within this document:

TERM / ACRONYM	MEANING
BRD	<p><b>Business Requirements Document</b> A document produced during the early stages of the Standards development process, containing high level business information.</p>
CR	<p><b>Change Request</b> Details of an amendment to a Standard used to manage the way in which Standards are maintained following initial publication.</p>
CSV	<p><b>Comma Separated Values</b> CSV files store tabular data in plain-text form. CSV data consists of any number of records, separated by line breaks of some kind; each record consists of fields or columns, separated by some character or string.</p>
EDI	<p><b>Electronic Data Interchange</b> A method of transferring data between different computer systems or computer networks, commonly used by large companies for e-commerce purposes.</p>
FIT	<p><b>Flexible Integration Toolkit</b> Data Pattern Schemas used as a building block approach to construction of Criterion Standards compliant messages.</p>
MIG	<p><b>Message Implementation Guideline</b> A document which describes a message structure and the contents of each data item within a message. Business terms, definitions, dependencies and notes are provided for all data items in the message.</p>
PDF	<p><b>Portable Document Format</b> A file format used to represent documents in a manner independent of application software, hardware, and operating systems.</p>
SIG	<p><b>Service Implementation Guideline</b> A document providing a service definition which could be used to implement the Criterion Standard. Note, this is mainly relevant to those Standards which support SOAP based web services.</p>
XML	<p><b>Extensible Mark-up Language</b> A widely used language which defines a set of rules for encoding documents in a format that is both human-readable and machine-readable.</p>
XSD Schema	<p><b>XML Schema Definition</b> Provides a machine readable description of an XML message format and structure. XML schemas can be used to automate the Criterion Standards compliance checks and also provide a means to auto generate code for provision of SOAP based web services.</p>